# 2025 STEP THERAPY CRITERIA

# TABLE OF CONTENTS

Advair Diskus	2
Crestor	8
Detrol	
Detrol LA	
Frova	
Imitrex Statdose System	14
Imitrex Tablet	
Lescol XL	9
Lipitor	
Maxalt	
Maxalt-MLT	
Nexium	5
Prevacid	6
Prevacid Solutab	6
Protonix	7
Relpax	
Spiriva Handihaler	3
Symbicort	4
Toviaz	21
Treximet	
Vesicare	
Vytorin	
Zocor	

# Step Therapy Group:

Oral Inhalers ST - Advair Diskus

# Drug Name(s)

Advair Diskus

# Criteria:

Criteria for approval require ONE of the following:

- 1. Patient's medication history includes use of the generic equivalent agent within the past 999 days OR
- 2. Patient has an intolerance or hypersensitivity to the generic equivalent agent OR
- 3. Patient has had an ineffective treatment response to the generic equivalent agent OR
- 4. Patient has an FDA labeled contraindication to the generic equivalent agent

### Step Therapy Group:

Oral Inhalers ST - Spiriva Handihaler

# Drug Name(s)

Spiriva Handihaler

#### Criteria:

Criteria for approval require ONE of the following:

- 1. Patient's medication history includes use of the generic equivalent agent within the past 999 days OR
- 2. Patient has an intolerance or hypersensitivity to the generic equivalent agent OR
- 3. Patient has had an ineffective treatment response to the generic equivalent agent OR
- 4. Patient has an FDA labeled contraindication to the generic equivalent agent

## Step Therapy Group: Oral Inhalers ST – Symbicort Drug Name(s)

#### Symbicort

#### Criteria:

Criteria for approval require ONE of the following:

- 1. Patient's medication history includes use of the generic equivalent agent within the past 999 days OR
- 2. Patient has an intolerance or hypersensitivity to the generic equivalent agent OR
- 3. Patient has had an ineffective treatment response to the generic equivalent agent OR
- 4. Patient has an FDA labeled contraindication to the generic equivalent agent

### Step Therapy Group: PPI ST – Nexium Drug Name(s)

Nexium

#### Criteria:

Criteria for approval require ONE of the following:

- 1. Patient's medication history includes use of the generic equivalent agent within the past 999 days OR
- 2. Patient has an intolerance or hypersensitivity to the generic equivalent agent OR
- 3. Patient has had an ineffective treatment response to the generic equivalent agent OR
- 4. Patient has an FDA labeled contraindication to the generic equivalent agent

# Step Therapy Group: PPI ST – Prevacid Drug Name(s)

Prevacid

Prevacid Solutab

#### Criteria:

Criteria for approval require ONE of the following:

- 1. Patient's medication history includes use of the generic equivalent agent within the past 999 days OR
- 2. Patient has an intolerance or hypersensitivity to the generic equivalent agent OR
- 3. Patient has had an ineffective treatment response to the generic equivalent agent OR
- 4. Patient has an FDA labeled contraindication to the generic equivalent agent

# Step Therapy Group: PPI ST – Protonix Drug Name(s)

#### Protonix

#### Criteria:

Criteria for approval require ONE of the following:

- 1. Patient's medication history includes use of the generic equivalent agent within the past 999 days OR
- 2. Patient has an intolerance or hypersensitivity to the generic equivalent agent OR
- 3. Patient has had an ineffective treatment response to the generic equivalent agent OR
- 4. Patient has an FDA labeled contraindication to the generic equivalent agent

# Step Therapy Group: Statins ST – Crestor Drug Name(s)

#### Crestor

#### Criteria:

Criteria for approval require ONE of the following:

- 1. Patient's medication history includes use of the generic equivalent agent within the past 999 days OR
- 2. Patient has an intolerance or hypersensitivity to the generic equivalent agent OR
- 3. Patient has had an ineffective treatment response to the generic equivalent agent OR
- 4. Patient has an FDA labeled contraindication to the generic equivalent agent

### **Step Therapy Group:** Statins ST - Lescol XL

### Drug Name(s)

Lescol XL

### Criteria:

Criteria for approval require ONE of the following:

- 1. Patient's medication history includes use of the generic equivalent agent within the past 999 days OR
- 2. Patient has an intolerance or hypersensitivity to the generic equivalent agent OR
- 3. Patient has had an ineffective treatment response to the generic equivalent agent OR
- 4. Patient has an FDA labeled contraindication to the generic equivalent agent

# Step Therapy Group: Statins ST – Lipitor Drug Name(s)

Lipitor

#### Criteria:

Criteria for approval require ONE of the following:

- 1. Patient's medication history includes use of the generic equivalent agent within the past 999 days OR
- 2. Patient has an intolerance or hypersensitivity to the generic equivalent agent OR
- 3. Patient has had an ineffective treatment response to the generic equivalent agent OR
- 4. Patient has an FDA labeled contraindication to the generic equivalent agent

# Step Therapy Group: Statins ST – Vytorin Drug Name(s)

#### Vytorin

#### Criteria:

Criteria for approval require ONE of the following:

- 1. Patient's medication history includes use of the generic equivalent agent within the past 999 days OR
- 2. Patient has an intolerance or hypersensitivity to the generic equivalent agent OR
- 3. Patient has had an ineffective treatment response to the generic equivalent agent OR
- 4. Patient has an FDA labeled contraindication to the generic equivalent agent

# Step Therapy Group: Statins ST – Zocor Drug Name(s)

Zocor

### Criteria:

Criteria for approval require ONE of the following:

- 1. Patient's medication history includes use of the generic equivalent agent within the past 999 days OR
- 2. Patient has an intolerance or hypersensitivity to the generic equivalent agent OR
- 3. Patient has had an ineffective treatment response to the generic equivalent agent OR
- 4. Patient has an FDA labeled contraindication to the generic equivalent agent

# Step Therapy Group: Triptans ST – Frova Drug Name(s)

Frova

#### Criteria:

Criteria for approval require ONE of the following:

- 1. Patient's medication history includes use of the generic equivalent agent within the past 999 days OR
- 2. Patient has an intolerance or hypersensitivity to the generic equivalent agent OR
- 3. Patient has had an ineffective treatment response to the generic equivalent agent OR
- 4. Patient has an FDA labeled contraindication to the generic equivalent agent

### Step Therapy Group:

Triptans ST - Imitrex injectable

# Drug Name(s)

Imitrex Statdose System

#### Criteria:

Criteria for approval require ONE of the following:

- 1. Patient's medication history includes use of the generic equivalent agent within the past 999 days OR
- 2. Patient has an intolerance or hypersensitivity to the generic equivalent agent OR
- 3. Patient has had an ineffective treatment response to the generic equivalent agent OR
- 4. Patient has an FDA labeled contraindication to the generic equivalent agent

# Step Therapy Group:

Triptans ST - Imitrex tablet

# Drug Name(s)

Imitrex Tablet

### Criteria:

Criteria for approval require ONE of the following:

- 1. Patient's medication history includes use of the generic equivalent agent within the past 999 days OR
- 2. Patient has an intolerance or hypersensitivity to the generic equivalent agent OR
- 3. Patient has had an ineffective treatment response to the generic equivalent agent OR
- 4. Patient has an FDA labeled contraindication to the generic equivalent agent

### **Step Therapy Group:** Triptans ST – Maxalt

### Drug Name(s)

Maxalt

Maxalt-MLT

### Criteria:

Criteria for approval require ONE of the following:

- 1. Patient's medication history includes use of the generic equivalent agent within the past 999 days OR
- 2. Patient has an intolerance or hypersensitivity to the generic equivalent agent OR
- 3. Patient has had an ineffective treatment response to the generic equivalent agent OR
- 4. Patient has an FDA labeled contraindication to the generic equivalent agent

# Step Therapy Group: Triptans ST – Relpax Drug Name(s)

# Relpax

### Criteria:

Criteria for approval require ONE of the following:

- 1. Patient's medication history includes use of the generic equivalent agent within the past 999 days OR
- 2. Patient has an intolerance or hypersensitivity to the generic equivalent agent OR
- 3. Patient has had an ineffective treatment response to the generic equivalent agent OR
- 4. Patient has an FDA labeled contraindication to the generic equivalent agent

# Step Therapy Group: Triptans ST – Treximet Drug Name(s)

# Treximet

### Criteria:

Criteria for approval require ONE of the following:

- 1. Patient's medication history includes use of the generic equivalent agent within the past 999 days OR
- 2. Patient has an intolerance or hypersensitivity to the generic equivalent agent OR
- 3. Patient has had an ineffective treatment response to the generic equivalent agent OR
- 4. Patient has an FDA labeled contraindication to the generic equivalent agent

### Step Therapy Group: Urinary Incontinence ST - Detrol Drug Name(s)

Detrol

#### Criteria:

Criteria for approval require ONE of the following:

- 1. Patient's medication history includes use of the generic equivalent agent within the past 999 days OR
- 2. Patient has an intolerance or hypersensitivity to the generic equivalent agent OR
- 3. Patient has had an ineffective treatment response to the generic equivalent agent OR
- 4. Patient has an FDA labeled contraindication to the generic equivalent agent

### Step Therapy Group: Urinary Incontinence ST - Detrol LA Drug Name(s)

Detrol LA

#### Criteria:

Criteria for approval require ONE of the following:

- 1. Patient's medication history includes use of the generic equivalent agent within the past 999 days OR
- 2. Patient has an intolerance or hypersensitivity to the generic equivalent agent OR
- 3. Patient has had an ineffective treatment response to the generic equivalent agent OR
- 4. Patient has an FDA labeled contraindication to the generic equivalent agent

# Step Therapy Group: Urinary Incontinence ST - Toviaz Drug Name(s)

Toviaz

#### Criteria:

Criteria for approval require ONE of the following:

- 1. Patient's medication history includes use of the generic equivalent agent within the past 999 days OR
- 2. Patient has an intolerance or hypersensitivity to the generic equivalent agent OR
- 3. Patient has had an ineffective treatment response to the generic equivalent agent OR
- 4. Patient has an FDA labeled contraindication to the generic equivalent agent

### Step Therapy Group: Urinary Incontinence ST – Vesicare Drug Name(s)

Vesicare

#### Criteria:

Criteria for approval require ONE of the following:

- 1. Patient's medication history includes use of the generic equivalent agent within the past 999 days OR
- 2. Patient has an intolerance or hypersensitivity to the generic equivalent agent OR
- 3. Patient has had an ineffective treatment response to the generic equivalent agent OR
- 4. Patient has an FDA labeled contraindication to the generic equivalent agent